UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/521,207	06/27/2005	Levi Zruya	6553-007	7220
22440 7590 09/01/2009 GOTTLIEB RACKMAN & REISMAN PC 270 MADISON AVENUE			EXAMINER	
			FINDLEY, CHRISTOPHER G	
8TH FLOOR NEW YORK, NY 10016-0601			ART UNIT	PAPER NUMBER
			2621	
			MAIL DATE	DELIVERY MODE
			09/01/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/521,207	ZRUYA ET AL.			
Office Action Summary	Examiner	Art Unit			
	CHRISTOPHER FINDLEY	2621			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earmed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	lely filed the mailing date of this communication. (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 12 Ja	action is non-final. nce except for formal matters, pro				
Disposition of Claims					
4) ☐ Claim(s) 1-37 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-37 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or Application Papers 9) ☐ The specification is objected to by the Examine. 10) ☐ The drawing(s) filed on is/are: a) ☐ access that any objection to the objected to the control of the cont	vn from consideration. r election requirement. r. epted or b) objected to by the Edrawing(s) be held in abeyance. See	e 37 CFR 1.85(a).			
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 4/10/2006, 4/25/2006, 6/06/2008.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ite			



Application No.

Art Unit: 2621

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 1, 6, 8-11, 15, 17, 23-24, 26-29, 31-33, and 35-37 are rejected under 35 U.S.C. 102(e) as being anticipated by Monroe (US 6970183 B1).

Re **claim 1**, Monroe discloses a method for the monitoring of an environment, comprising the steps of: a) defining and storing in a memory programs for processing, in real-time, data obtained from the observation of objects by one or more pairs of optical and/or thermal imagers, relatively positioned along a common vertical line, for identifying said objects and determining whether they are dangerous (Monroe: column 31, lines 37-56); b) determining and storing parameters according to which the observation of the controlled space is effected (Monroe: column 7, lines 34-40, recording); c) carrying out photographic observation of the controlled space or sections thereof, according to the aforesaid observation parameters (Monroe: column 33, lines 12-53); and d) jointly processing the digital data representing said optical and thermal photographs, to determine whether possible dangerous objects have been detected, and if so, classifying said objects according to the stored danger parameters (Monroe:

column 28, lines 8-45, audio and infrared sensor data is utilized in addition to the video data).

Re **claim 6**, Monroe discloses determining an action on an authorized body that will eliminate the danger of collision, intrusion or damage (Monroe: column 4, lines 6-8, response to an alarm event may include the dispatch of response personnel).

Re **claim 8**, Monroe discloses giving alarms signaling the presence and nature of any dangerous objects, the danger of collisions and possible desirable preventive actions (Monroe: column 18, lines 58-61, additional information including the type of event may be provided).

Re **claim 9**, Monroe discloses that the photographic observation is carried out by performing the steps of: a) modifying the angle of one or more photographic devices (Monroe: column 28, lines 52-57, object tracking may include panning the camera); b) photographing one or more photos with said photographic device (Monroe: column 4, lines 1-5, high resolution images and video clips are processed by the system); c) processing said photographed one or more photos by a computerized system (Monroe: column 4, lines 6-8, processors are used for automatic event assessment); and d) repeating steps a) to c) (Monroe: column 37, line 62-column 38, line 5, the cycle repeats).

Re **claim 10**, Monroe discloses that the photographic observation is carried out as a continuous scan or segmental scan (Monroe: column 7, lines 50-56, the monitoring station can monitor the data continuously).

Application/Control Number: 10/521,207

Page 4

Art Unit: 2621

Re claim 11, Monroe discloses a) setting initial definition for the photographic observation and for the processing of the data of said photographic observation (Monroe: column 33, lines 12-23, the system is responsive to programmed events); b) storing in the memory the data that represent the last photographed one or more photos at a specific angle of the photographic devices (Monroe: column 33, lines 12-23, the system learns that an object belongs or does not belong at a specific location); and c) processing said data for detecting suspected objects, by performing, firstly, pixel processing and secondly, logical processing (Monroe: column 33, lines 12-23, the system recognizes objects and then determines whether they belong at a location); and d) deciding whether said suspected object is a dangerous object (Monroe: column 33, lines 12-23, detected changes signal an alarm).

Re **claim 15**, Monroe discloses that the logic processing comprises the steps of:
a) measuring parameters regarding the pixels in the logic matrix (Monroe: column 33,
lines 12-23, the system is capable of learning where objects are located by monitoring
scenes over time); b) comparing said measured parameters to a predetermined table of
values stored in the memory, whenever said measured parameters equal to one or
more values in said table, the pixels that relates to said measurement are dangerous
objects (Monroe: column 33, lines 19-20, any changes activate an alarm).

Re **claim 17**, Monroe discloses that the photographic observation is taken from at least two cameras (Monroe: Fig. 40).

Re claim 23, Monroe discloses a) generating a panoramic image and a map of the monitored area by scanning said area, said scanning being performed by rotating at least a pair of distinct and identical imagers around their central axis of symmetry (Monroe: column 28, lines 62-64, wide angle feature; Fig. 40, two cameras mounted); b) obtaining the referenced location of a detected object by observing said object with said imagers, said location being represented by the altitude, range and azimuth parameters of said object (Monroe: column 28, lines 46-47, GPS receiver provided for generating location information; column 28, line 64-column 29, line 2, range finder permits locating objects in a precise manner); and c) displaying the altitude value of said object on said panoramic image and displaying the range and the azimuth of said object on said map (Monroe: column 16, lines 14-15; column 23, lines 32-35, a portable device may display maps along with alphanumeric text).

Re **claim 24**, Monroe discloses that the imagers are photographic devices selected from the group consisting of: CCD or CMOS based cameras or Forward Looking Infra Red (FLIR) cameras (Monroe: column 6, lines 5-8).

Re **claim 26**, Monroe discloses that the imagers are not identical and do not share common central axis of symmetry or of optical magnification but have at least an overlapping part of their field of view (Monroe: Fig. 40, infrared sensor 562 and camera 558).

Re claim 27, Monroe discloses documenting the activities of the wildlife and other dangerous objects, for preventing and reducing from said wildlife and said other

Art Unit: 2621

dangerous objects to appear at the monitored area (Monroe: column 4, lines 6-8, response to an alarm event may include the dispatch of response personnel).

Re **claim 28**, Monroe discloses a) one or more pairs of optical and/or thermal imagers, relatively positioned along a common vertical line for carrying out photographic/thermal observation of the controlled space or sections thereof (Monroe: column 5, lines 42-46); b) a set of motors for changing the sections of the said photographic observation (Monroe: column 5, line 65-column 6, line 5); c) elaborator means for jointly processing the digital data representing said optical and thermal photographs, to determine whether possible dangerous objects have been detected, and if so, classifying said objects according to the stored danger parameters, processing the digital data representing the photographs taken by said photographic devices (Monroe: column 28, lines 37-39); d) memory means for storing programs for processing, in real-time, data obtained from the observation of objects by said imagers, and for identifying objects and determining whether they are dangerous (Monroe: column 3, lines 37-56).

Re **claim 29**, Monroe discloses that the photographic devices comprise one or more CCD or CMOS cameras and/or one or more infrared cameras (Monroe: column 6, lines 5-8).

Re **claim 31**, Monroe discloses that the photographic devices are at least a pair of distinct and identical imagers (Monroe: Fig. 40; column 27, lines 11-24).

Re **claim 32**, Monroe discloses that each photographic device is provided with a different lens (Monroe: Fig. 40, separate cameras).

Re claim 33, Monroe discloses a) elaborator means for obtaining the referenced location of a detected object in said controlled space, said location being represented by the altitude, range and azimuth parameters of said object (Monroe: column 28, lines 46-47, GPS receiver provided for generating location information; column 28, line 64-column 29, line 2, range finder permits locating objects in a precise manner); b) means for generating a panoramic image and a map of the monitored area (Monroe: column 28, lines 62-64, wide angle feature); c) means for displaying the altitude value of said object on said panoramic image and means for displaying the range and the azimuth of said object on said map (Monroe: column 16, lines 14-15; column 23, lines 32-35, a portable device may display maps along with alphanumeric text).

Re **claim 35**, Monroe discloses that the elaborator means are one or more dedicated algorithm installed within the computerized system (Monroe: column 31, lines 37-56, instructions stored).

Re **claim 36**, Monroe discloses a laser range finder being electrically connected to the computerized system for measuring the distance of a detected object from said laser range finder, said laser range finder transfers to said computerized system data representing the distance from a detected object, thereby aiding said computerized system to obtain the location of said detected object (Monroe: column 28, line 64-column 29, line 2, range finder permits locating objects in a precise manner).

Art Unit: 2621

Re **claim 37**, Monroe discloses procuring, adjourning and storing in a memory files representing the background space (Monroe: column 33, lines 12-23, the system is capable of learning where objects are located by monitoring scenes over time).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

3. Claims 2, 3, 5, 7, 14, and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Monroe (US 6970183 B1) in view of Lipton (US 6954498 B1).

Re **claim 2**, Monroe discloses a) changing the sections of the said photographic observation so as to monitor the path of any detected dangerous objects (Monroe: column 28, lines 52-59, tracking); b) receiving and storing the data defining the positions and the foreseen future path of all authorized bodies (Monroe: column 28, lines 8-15); and d) comparatively processing said assumed future path with the foreseen future path of all authorized bodies, to determine the possible danger of collision or intrusion (Monroe: column 34, lines 56-64, deviations from a pattern trigger an alarm).

Monroe does not specifically disclose c) extrapolating the data obtained by monitoring the path of any detected dangerous objects to determine an assumed future path of said objects. However, Lipton discloses an interactive video manipulation

Page 9

system, wherein positions are predicted from a tracking algorithm (Lipton: column 7, lines 27-37). Since Monroe and Lipton both relate to surveillance, one of ordinary skill in the art at the time of the invention would have found it obvious to combine the prediction of Lipton with the system of Monroe in order to facilitate the tracking of multiple objects in a frame (Lipton: column 7, lines 14-26).

Re **claim 3**, Monroe discloses determining an action on dangerous objects that will eliminate the danger of collision, intrusion or damage (Monroe: column 4, lines 43-57, response to an alarm event).

Re **claim 5**, Monroe does not disclose that the action is change in their assumed future path the dangerous object. However, Lipton discloses that the predicted position is compared to the actual position to determine a more accurate predicted path (Lipton: column 7, lines 27-37). Since Monroe and Lipton both relate to surveillance, one of ordinary skill in the art at the time of the invention would have found it obvious to combine the prediction of Lipton with the system of Monroe in order to facilitate the tracking of multiple objects in a frame (Lipton: column 7, lines 14-26).

Re **claim 7**, neither Monroe nor Lipton specifically discloses that the action is a delay in their landing or take-off of the aircraft or a change of their landing or take-off path. However, the Examiner takes Official Notice that one of ordinary skill in the art at the time of the invention would have found it obvious that in the event that a hazardous item endangered an aircraft's take-off or landing, appropriate diversionary measures would be taken to eliminate possible threats to the aircraft, passengers, and/or cargo.

Art Unit: 2621

Re claim 14, Monroe does not specifically disclose the claimed features. However, Lipton discloses a) generating an average photo from the current one or more photos (Monroe: column 33, lines 12-23, the system learns that an object belongs or does not belong at a specific location and recognizes whether the objects in a frame belong there); b) generating a derivative matrix from said average photo for emphasis relatively small objects at each photo from said one or more photo, which might be potential dangerous objects (Lipton: column 5, lines 41-60); c) storing said derivative matrix in the memory as part of a photo database, and comparing said derived matrix with previous derivative matrix stored in said memory as part of said photo database, said previous derivative matrix is derived from one or more photos that was taken from the exact photographic device angle as of said average photo (Lipton: column 5, lines 41-60); d) From the comparison, generating an error photo, wherein each pixel in said error photo represents the error value between said derivative matrix and said previous derivative matrix (Lipton: column 5, lines 41-60); e) comparing the value of each pixel from said error photo to a threshold level, said threshold level is dynamically determined to each pixel in the error photo statistically according the previous pixel values stored in the memory as a part of a statistic database (Lipton: column 5, line 61-column 6, line 18); f) whenever a pixel value in said error photo exceeds said threshold level, generating a logic matrix in which the location of said pixel value is set to a predetermined value (Lipton: column 5, line 61-column 6, line 18); and g) upon completing comparing each error value to said threshold level, for the entire current photos, transferring said generated logic matrix to the logic process stage (Lipton:

column 6, lines 41-44, pixels are clustered into regions of interest). Since Monroe and Lipton both relate to surveillance, one of ordinary skill in the art at the time of the invention would have found it obvious to combine the prediction of Lipton with the system of Monroe in order to facilitate the tracking of multiple objects in a frame (Lipton: column 7, lines 14-26).

Re claim 16, Monroe does not specifically disclose the claimed features.

However, Lipton discloses that the parameters are selected from the group consisting of the dimension of an adjacent group of pixels, the track that one or more adjacent pixels created in the logic matrix, direction, speed, size and location of an object that is created from a group of pixels (Lipton: column 7, lines 27-37). Since Monroe and Lipton both relate to surveillance, one of ordinary skill in the art at the time of the invention would have found it obvious to combine the prediction of Lipton with the system of Monroe in order to facilitate the tracking of multiple objects in a frame (Lipton: column 7, lines 14-26).

4. Claims 18-22, 25, 30, and 34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Monroe (US 6970183 B1) in view of Milgram et al. (US 5175616 A, hereinafter referred to as "Milgram").

Re **claim 18**, Monroe does not specifically disclose the claimed features.

However, Milgram discloses that the camera separation affects the focal point of the imaging system, wherein by adjusting the camera configuration to meet the needs of the operator, the task of the operator is theoretically facilitated (Milgram: Figs. 11A-11E and

column 28, line 35 through column 29, line 3). Therefore, one of ordinary skill in the art at the time of the invention would have found it obvious that a distance of 0.5 to 50 meters between cameras would simply be categorized as a design choice by the operator for facilitating his needs. Since Monroe and Milgram relate to surveillance systems, one of ordinary skill in the art at the time of the invention would have found it obvious to combine the stereoscopic coordinate system of Milgram with the system of Monroe in order to provide enhanced 3-D interaction from the operator (Milgram: column 3, lines 41-60 and column 4, lines 10-29).

Re **claim 19**, Monroe discloses that the cameras positioned with same view angle are installed on the same pole (Monroe: Fig. 40).

Re **claim 20**, Monroe discloses that the cameras positioned with same view angle are being rotated thus their view angle is changed simultaneously (Monroe: Fig. 40, rotation of the pole causes the cameras to rotate together).

Re **claim 21**, Monroe discloses providing at least one encoder and at least one reset sensor for determining the angle of each camera, said encoder and reset sensor are provided to each axis that rotates a camera (Monroe: Fig. 55 and column 37, lines 44-49, encoder 1044; column 4, lines 36-40, the system may be configured and reconfigured).

Re **claim 22**, Monroe discloses that the reset sensor provides the initiation angle of the camera at the beginning of the scanning of a sector and the encoder provides the

current angle of the camera during the scanning of the sector (Monroe: column 4, lines 36-40, the system may be configured and reconfigured).

Claim 25 has been analyzed and rejected with respect to claim 18 above.

Claim 30 has been analyzed and rejected with respect to claim 18 above.

Re claim 34, Monroe does not specifically disclose that the means for displaying the monitored area are using three-dimensional software graphics where the location of each detected object is indicated as a three-dimensional image. However, Milgram discloses a stereoscopic video-graphic coordinate specification system, wherein stereoscopic video is employed in remote surveillance systems to generate 3-D information (Milgram: column 1, lines 5-10 and column 3, line 63-column 4, line 2). Since Monroe and Milgram relate to surveillance systems, one of ordinary skill in the art at the time of the invention would have found it obvious to combine the stereoscopic coordinate system of Milgram with the system of Monroe in order to provide enhanced 3-D interaction from the operator (Milgram: column 3, lines 41-60 and column 4, lines 10-29).

5. Claims 12 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Monroe (US 6970183 B1) in view of Lipton (US 6954498 B1) in view of Milgram et al. (US 5175616 A, hereinafter referred to as "Milgram").

Re **claim 12**, Monroe does not specifically disclose that the pixel processing comprises the step of: a) Mathematically processing each pixel in a current photo for

detecting suspected objects. However, Lipton discloses performing a sum of absolute differences (SAD) (Lipton: column 7, lines 38-51, sum of absolute differences (SAD) performed), wherein each pixel in a block is compared to the corresponding pixel in another block, and the differences are summed. Since Monroe and Lipton both relate to surveillance, one of ordinary skill in the art at the time of the invention would have found it obvious to combine the prediction of Lipton with the system of Monroe in order to facilitate the tracking of multiple objects in a frame (Lipton: column 7, lines 14-26).

Neither Monroe nor Lipton specifically discloses that b) Whenever a suspected object is detected, at least two photographic devices, being positioned vertically one above the other in distance from each other, provides photos at same time period and same monitored section, generating data regarding said suspected object from at least said two photographic devices, said generated data is a 3-D data. However, Milgram discloses a stereoscopic video-graphic coordinate specification system, wherein stereoscopic video is employed in remote surveillance systems to generate 3-D information (Milgram: column 1, lines 5-10 and column 3, line 63-column 4, line 2). Since Monroe, Lipton, and Milgram relate to surveillance systems, one of ordinary skill in the art at the time of the invention would have found it obvious to combine the stereoscopic coordinate system of Milgram with the system of Monroe and Lipton in order to provide enhanced 3-D interaction from the operator (Milgram: column 3, lines 41-60 and column 4, lines 10-29).

Re **claim 13**, Monroe discloses that whenever the pixel processing detects moving object, it comprises the steps of: a) comparing the current photo to an average

photo generated from the previous stored photos, said previous stored photos and said current photo was photographed at the same photographic device angle (Monroe: column 33, lines 12-23, the system learns that an object belongs or does not belong at a specific location and recognizes whether the objects in a frame belong there).

Monroe does not specifically disclose b) generating a comparison photo from the difference in the pixels between said average photo said current photo, each pixel in said comparison photo represents an error value; c) comparing each error value to a threshold level, said threshold level is dynamically determined to each pixel in the photo matrix statistically according the previous pixel values stored in the memory as a statistic database; d) whenever a pixel value in said comparison photo exceeds said threshold level, generating a logic matrix in which the location of said pixel value is set to a predetermined value; and e) upon completing comparing each error value to said threshold level, for the entire current photos, transferring said generated logic matrix to the logic process stage. However, Lipton discloses b) generating a comparison photo from the difference in the pixels between said average photo said current photo, each pixel in said comparison photo represents an error value (Lipton: column 5, lines 41-60); c) comparing each error value to a threshold level, said threshold level is dynamically determined to each pixel in the photo matrix statistically according the previous pixel values stored in the memory as a statistic database (Lipton: column 5, lines 41-60); d) whenever a pixel value in said comparison photo exceeds said threshold level, generating a logic matrix in which the location of said pixel value is set to a predetermined value (Lipton: column 5, line 61-column 6, line 18); and e) upon

Art Unit: 2621

completing comparing each error value to said threshold level, for the entire current photos, transferring said generated logic matrix to the logic process stage (Lipton: column 6, lines 41-44, pixels are clustered into regions of interest). Since Monroe and Lipton both relate to surveillance, one of ordinary skill in the art at the time of the invention would have found it obvious to combine the prediction of Lipton with the system of Monroe in order to facilitate the tracking of multiple objects in a frame (Lipton: column 7, lines 14-26).

6. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Monroe (US 6970183 B1) in view of Goldenberg et al. (US 6113343 A, hereinafter referred to as "Goldenberg").

Re claim 4, neither Monroe nor Lipton discloses that the action is the destruction of the dangerous object. However, Goldenberg discloses an explosives disposal robot, which uses surveillance techniques to locate and approach, ultimately destroying, hazardous items (Goldenberg: Abstract section). Since Monroe, Lipton, and Goldenberg use surveillance techniques, one of ordinary skill in the art at the time of the invention would have found it obvious to combine the destructive property of Goldenberg with the system of Monroe and Lipton in order to safely assist in explosive ordinance disposal without endangering humans.

Contact

Art Unit: 2621

Any inquiry concerning this communication or earlier communications from the examiner should be directed to CHRISTOPHER FINDLEY whose telephone number is (571)270-1199. The examiner can normally be reached on Monday-Friday (8:30 AM-5:00 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marsha D. Banks-Harold can be reached on 571-272-7905. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Marsha D. Banks-Harold/ Supervisory Patent Examiner, Art Unit 2621

/Christopher Findley/